2B5-00 Series

Elvari™ Recessed Combination Unit

Key Features

- High quality and modern style complements other Elvari™ products
- Advanced weld construction
- Choose from small, medium or large capacities
- Bag retention ring included
- Concealed BradLock™ magnetic locking system on towel dispenser
- Red, low-level indicator

Operation

Towel dispenser holds C-fold or multi-fold towels with integral, easy-feed towel guide liner. Red, low-level indicator provides notice that refill is needed and resets when staff refills dispenser. Waste receptacle is removable for servicing. Easily lift the bag retention ring for BradLock system and magnetic key on the towel dispenser provide security, a seamless design, and easy access for service. Magnetic lock location is hidden from view behind the Bradley logo.

Capacity

Small Capacity

– Towel Dispenser: Approximately 400 folded paper towels
– Waste Receptacle: 8 gallon

Medium Capacity

– Towel Dispenser: Approximately 500 folded paper towels
– Waste Receptacle: 12 gallon

Large Capacity

– Towel Dispenser: Approximately 800 folded paper towels
– Waste Receptacle: 18 gallon

Guide Specification

Recessed mounted towel and waste receptacle combination unit. High quality and style. 20-gauge, 300 series stainless steel in a brushed #3 satin finish or optional electrocoat finishes. Welded construction. Bag retention ring holds liners in place. 20-gauge stainless steel design protects walls and makes cleaning easier.

Overall Dimensions – Small Capacity:
37" H x 16.54" W x 8.76" D (940mm x 420mm x 223mm)

Overall Dimensions – Medium Capacity:
52.88" H x 16.54" W x 8.76" D (1343mm x 420mm x 223mm)

Overall Dimensions – Large Capacity:
60.14" H x 16.54" W x 12.78" D (1528mm x 420mm x 324mm)

MasterFormat Title: Commercial Toilet Accessories
MasterFormat Number: 10 28 13.13

OmniClass Title: Toilet and Bath Specialties
OmniClass Code: 23.31.25.00

For information on Warranties, Maintenance and BAA/ARRA Compliance, visit our website at: bradleycorp.com/washroom-accessories-products

Orders composed of products indicated as ***BradEX®*** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.

Model 2B5-000000 shown

Product Compliance

Complies with

- The Americans with Disabilities Act (ADA)
- ANSI/ICC A117.1 - Accessible and Usable Buildings & Facilities

Listed by UL Environment to

- GreenGuard Gold

☑ *Consult local and national accessibility codes for proper installation guidelines. Conformity and compliance with local and national codes is the responsibility of the installer.*

Finishes

☑ *Click on any color swatch to view as a larger image.*

- Brushed Black*
- Brushed Brass*
- Brushed Bronze*
- Brushed Nickel*
- Brushed Stainless*
- Satin Stainless

*Electrocoat Finishes, see Optional Electrocoat Finishes section on page 2.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Optional Electrocoat Finishes

Bradley offers an exclusive, proprietary electrocoat color process on the Elvari combination unit models. Unlike powder coating, color is applied to the entire stainless steel part using a submersion process with electrically charged particles. This process results in a precise film thickness across all surfaces, allowing the grain of the stainless steel to show through.

Electrocoat provides complete coverage to the part and has environmental advantages such as no or low-VOC and HAPs (Hazardous Air Pollutants), heavy metal-free products, and minimum waste discharge. Bradley's electrocoat is durable and easy to clean as well as fingerprint, stain and corrosion resistant. A UV light stabilizer additive enhances resistance to weathering and color fade.

Products are performance tested for adhesion following ASTM D3359-22 and impact resistance following ASTM D2794.

Model (Must select one)

◯ **2B5**	Elvari Combi Unit

Standard Selections (Must select one from each category)

Mounting Type (select one)

◯ **00**	Recessed Option

Towel & Waste Capacity (select one)

◯ **34**	Small Capacity
◯ **0**	Medium Capacity [1]
◯ **36**	Large Capacity

Combination Unit Finish Type **(Must select one)**

◯ **BB**	Brushed Black
◯ **BR**	Brushed Brass
◯ **BZ**	Brushed Bronze
◯ **BN**	Brushed Nickel
◯ **BS**	Brushed Stainless
◯ **SS**	Satin Stainless [1]

[1] Model available with ***BradEX***® expedited shipping.

Orders composed of products indicated as ***BradEX***® will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.

This information is subject to change without notice.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

2B5-00 Series

Elvari™ Recessed Combination Unit

Dimensions (mm)

Small Capacity



Medium Capacity



Large Capacity



Rough-In Dimensions

Combination Unit Capacity	Height	Width	Depth
Small	35.62" (905)	14.5" (368)	4" (101)
Medium	51.63" (1311)	14.5" (368)	4" (101)
Large	58.88" (1495)	14.5" (368)	4" (101)

Combination Unit Capacity	Dim "A" (mm)	Dim "B" (mm)	Dim "C" (mm)
Small	56.66" (1439)	48" (1219)	37.77" (959)
Medium	63.66" (1616)	48" [1] (1219)	37.77" (959)
Large	70.92" (1801)	48" [1] (1219)	37.77" (959)

[1] ADA compliant

Orders composed of products indicated as ***BradEX®*** will be available to ship in three days after receipt of order at the factory. There is no pricing penalty for this service from Bradley.

Verify all rough-in dimensions prior to installation.

View Latest Version

© 2026 Bradley

P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com