Classic Model Parts

Eyewash Bowls



154-058


Impact-resistant plastic eyewash bowl, 10" diameter



187-053

Corrosion-resistant stainless steel bowl, 10¾" diameter

Dust Caps



107-371

Eyewash dust caps only (sold individually; two required per eyewash). Yellow plastic tether. Approximately 1" x 1".



S53-063

Dual Eye/Face wash dust caps only (sold individually; two required per eyewash). Beaded chain tether, 2¼" x 1".



S53-310

Eyewash dust cap (sold individually; two required per eyewash). Beaded chain tether, 1" x 1".

Sprayhead and Spray Ring Assemblies



S39-394

Eyewash sprayhead assembly with supply stem



S39-396

Eye/face wash sprayhead assembly with supply stem



S39-681

Eye/face wash sprayhead assembly; stem not included


S39-682 (not shown)

Eye/face wash sprayhead assembly for use with PVC unit only. Stem not included



S45-2453

Eye/face wash (sprayheads only) Includes 2.4 gpm flow control inside each head. Total flow from dual heads is 4.8 gpm



S39-397

Eyewash and spray ring assembly with supply stem

This information is subject to change without notice.
Bradley_SafetyReplacementParts

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Classic Model Parts

Eyewash Ball Valves, Handles and Hardware



S30-070

Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

S30-071

Stainless steel eyewash handle with hardware

S08-336

Stainless steel eyewash handle only

S27-282

Brass ½" NPT stay-open ball valve only



S30-072

For stainless steel hinged dust covers only. Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

S30-087

For stainless steel hinged dust covers only. Stainless steel eyewash handle with hardware

S27-282

Brass ½" NPT stay-open ball valve only



S30-074

For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with ½" brass NPT stay-open ball valve and hardware

S30-075

For S19-270BL (left-hand) eyewash only. Stainless steel eyewash handle with hardware

S27-282

Brass ½" NPT stay-open ball valve only



S30-109

Stainless steel eyewash handle with ½" stainless steel NPT stay-open valve

S30-110

Stainless steel eyewash handle with ½" vented stainless steel NPT stay-open ball valve

S30-111

316 stainless steel eyewash handle without dust cover with ½" stainless steel NPT stay-open ball valve

S30-116

316 stainless steel eyewash handle with hardware



S30-112

Stainless steel eyewash handle with dust cover with ½" stainless steel NPT stay-open ball valve

This information is subject to change without notice.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Classic Model Parts

Stem Assemblies, Spacers and Flow Restrictors

Sprayhead Assembly	Galvanized Fixture with Plastic Bowl	Galvanized Fixture with Stainless Steel Bowl	Standard Stainless Steel Fixture	316 Stainless Steel Fixture
Eyewash Only	S21-071 (stem) 113-1185 (stem spacer)	S21-071 (stem) 113-1159 (stem spacer)	S21-072 (stem) 113-1159 (stem spacer)	S21-075 (stem) 113-1159 (stem spacer)
Eye/Face Wash with Spray Ring	S21-073 (stem) 113-1185 (stem spacer)	S21-073 (stem) 113-1159 (stem spacer)	S21-074 (stem) 113-1159 (stem spacer)	None
Eye/Face Wash with Dual Black Heads	113-1150 (stem)	113-1150 (stem)	113-1151 (stem)	None

☑ Spacers 113-1159 and 113-1185 are required for units that shipped on or before 11/2/2005.

Stem Assemblies



○ **S21-071**

Brass stem assembly with flow restrictor; **for units with eyewash only**

○ **113-1150**

Brass stem only; **for units with dual black eye/face wash heads**



○ **S21-072**

Stainless steel stem assembly with flow restrictor; **for stainless steel units with eyewash only**

○ **S21-075**

316 stainless steel stem assembly with flow restrictor; **for 316 stainless steel units (with eyewash) only**

○ **113-1151**

Stainless steel stem only; **for stainless steel units with dual black eye/face wash heads**



○ **S21-073**


Brass stem assembly with flow restrictor; **for units with eyewash and spray ring only**



○ **S21-074**

Stainless steel stem assembly with flow restrictor; **for stainless steel units with eyewash and spray ring only**

Stem Spacers



○ **113-1159**

Stainless steel stem spacer; for use in units with stainless steel bowl



○ **113-1185**

Black plastic stem spacer; for use in units with yellow plastic bowl

Eyewash and Eye/Face Wash Flow Restrictors



○ **125-167**

3.7 gpm pink flow restrictor; **for eyewash with face spray ring only** (stem not included)



○ **125-032**

3.5 gpm black flow restrictor; for swing-activated and swing-down units

This information is subject to change without notice.
Bradley_SafetyReplacementParts

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Halo Model Parts

Covers and Bowl Kits



○ **187-320**
Plastic bowl



○ **S90-390**
Plastic bowl cover kit



○ **S90-391**
Stainless steel bowl kit

○ **S90-392**
316 stainless steel bowl kit



○ **S90-388**
Stainless steel bowl cover kit


Sprayhead Assemblies



○ **S05-190**
Sprayhead assembly




○ **S05-192**
Sprayhead assembly




○ **S05-204**
304 Stainless steel sprayhead assembly

○ **S05-205**
316 Stainless steel sprayhead assembly

Dust Cover Kits



○ **S45-2675**
Eyewash cover kit



○ **S45-2676**
Eye/Face wash cover kit


Ball Valves



○ **S27-327**
Chrome-plated brass ½" ball valve

○ **S27-328 (not shown)**
Stainless steel ½" ball valve

O-ring and Flow Control




○ **S65-339**
O-ring and screen



○ **S88-068**
O-ring and flow control

Handle Kit



○ **S08-390**
Handle kit

This information is subject to change without notice.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Spintec™ Showerhead and Drench Shower Parts

- Includes integral 22 gpm flow restrictor
- Fully distributes water throughout spray pattern
- Compact design minimizes footprint in your facility



S24-192
Plastic shroud and ring (showerhead not included)



S24-193
Stainless steel shroud and ring (showerhead not included)



S24-194
Plastic showerhead and 1" diameter 90° elbow



S24-200
Stainless steel showerhead and 1" diameter 90° elbow




S24-195
Plastic shroud with ring, plastic showerhead and 1" diameter 90° elbow




S24-196
Stainless steel shroud with ring, plastic showerhead and 1" diameter 90° elbow



S24-202
Plastic showerhead, white steel in-ceiling recessed shroud assembly, ring, coupling and 1" diameter 90° elbow



154-147
Ring only



128-156A
Drench shower handle for standard (non-barrier-free) units (27¾" x 9")

128-156B
Drench shower handle for flush-mount (non-barrier-free) units (36" x 9")

128-156C
Drench shower handle (48" x 9")

128-156D
Drench shower handle (standard; shipped with barrier-free showers) (45½" x 9")

128-156E
Drench shower handle (57" x 9")

128-156F
Drench shower handle (69" x 9")



S90-365C
Drench shower handle, 2-piece (48" x 9")

S90-365D
Drench shower handle, 2-piece (45½" x 9")



S30-059
Chrome-plated brass 1" NPT ball valve with lever - recommended for optimal performance

S27-278
Chrome-plated brass 1" NPT ball valve only

S30-061 (not shown)
Stainless steel 1" NPT ball valve with lever -recommended for optimal performance. Required to service any product purchased before August 2019.

This information is subject to change without notice.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Drench Hose Parts

Hoses



S89-002

8' thermoplastic hose; yellow

S89-003

6' stainless steel hose



269-053

12' thermoplastic hose; yellow



269-054

25' thermoplastic hose; yellow

Hose Guide Bracket



140-226

Drench hose guide bracket

Drench Hose Replacement Part Valves



S39-817

Replacement valve with drench hose sprayhead

Backflow Prevention



S27-303

Dual-check backflow preventer compliant with ASSE 1024 & CSA B64.6 Watts Series 7



S45-2309

Dual-check vacuum breaker compliant with CSA B64.6 Watts Series 9



S45-2310

Dual-check backflow preventer compliant with ASSE 1012 Watts Series 9D; includes fittings for easy installation

This information is subject to change without notice.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Other

Safety Signs and Tags



114-050

Drench shower sign




114-051

Eyewash sign



114-052

Combination drench shower and eyewash sign



114-050E

International safety drench shower sign



114-051E


International safety eyewash sign



114-052E

International safety combination drench shower and eyewash sign

Foot Treadle Kits



S45-572


Foot treadle and hardware kit (with 3-foot chain) for standard pedestal-mounted eyewashes and combination shower/eyewash units with hand operation; provides supplemental foot operation

S45-1314SS

Type 316 stainless steel foot treadle and standard stainless steel hardware kit for stainless steel pedestal-mounted eyewashes and combination shower/eyewash units


S45-1314SS16

Type 316 stainless steel foot treadle and 316 stainless steel hardware kit for Type 316 stainless steel pedestal-mounted eyewashes and combination shower/eyewash units



S39-395

Foot treadle and hardware kit for wall-mounted eyewashes with hand operation; provides supplemental foot operation



S45-620

Foot treadle and hardware kit for model S19-310PVC combination drench shower and eyewash unit with hand operation; provides supplemental foot operation

On-Site Portables



S19-949 On-Site Eyewash Kit

Includes replacement cap, nine foam liners, inspection tag




133-160

Gravity fed tank

269-1379 On-Site Water Foam Liner

Perforated foam liner (sold individually)

Miscellaneous Supplies



269-1444

Eyewash test gauge

This information is subject to change without notice.
Bradley_SafetyReplacementParts

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com

Other

Freeze and Scald Protection Kits

- **Freeze protection valves** completely open at 35°F (1.6°C) and closes at 45°F (7.2°C)
- **Scald protection valves** completely open at 105°F (40.5°C) and closes at 85°F (29.4°C)

☑ Classic combination units require both drench shower and eyewash protection valves.




○ **S45-1703**

Freeze protection replacement valve for drench showers and eyewashes

○ **S45-1702**

Scald protection replacement valve for drench showers and eyewashes




○ **S45-1987**

Freeze protection kit for drench showers; includes freeze protection valve, tee, nipples, compression fitting, ball valve, tubing, and cable tie

○ **S45-1990**

Scald protection kit for drench showers; includes scald protection valve, tee, nipples, compression fitting, tubing, and cable tie



○ **S45-1986**

Freeze protection kit for eyewashes; includes freeze protection valve, cross, nipples, compression fitting, ball valve, tubing, and cable tie

○ **S45-1989**

Scald protection kit for eyewashes includes scald protection valve, cross, nipples, compression fitting, tubing, and cable tie

Optional Adapters for use with S19-200B

○ **153-395**

Female, 13⁄16" x 24 — Chrome, Female 13⁄16"-24 x Male 55⁄64"-27, Chrome Plated Brass

○ **153-396**

Male, 3⁄8" NPSM — Chrome, Male, 3⁄8" NPSM x Male 55⁄64"-27, Chrome Plated Brass

○ **153-401**

Female, 3⁄4" (Garden Hose) — Chrome, Female 3⁄4"-11(Garden Hose) x Male 55⁄64"-27, Chrome Plated Brass

This information is subject to change without notice.

© 2026 Bradley
P.O. Box 309, Menomonee Falls, WI 53052-0309
800 BRADLEY (800 272 3539) +1 262 251 6000
bradleycorp.com